

Slotted Wiring Ducts

Klemsan
Trunkie



Cat. No.	Product	Description	Color	Qty.
551 010	KKC 2530	25x30 Narrow Slotted Wiring Duct	Grey	50 x 2 m
551 011	KKC 2540	25x40 Narrow Slotted Wiring Duct	Grey	50 x 2 m
551 012	KKC 2560	25x60 Narrow Slotted Wiring Duct	Grey	30 x 2 m
551 030	KKC 2580	25x80 Narrow Slotted Wiring Duct	Grey	28 x 2 m
551 031	KKC 2510	25x100 Narrow Slotted Wiring Duct	Grey	22 x 2 m
551 013	KKC 4040	40x40 Narrow Slotted Wiring Duct	Grey	26 x 2 m
551 014	KKC 4060	40x60 Narrow Slotted Wiring Duct	Grey	18 x 2 m
551 015	KKC 4080	40x80 Narrow Slotted Wiring Duct	Grey	20 x 2 m
551 032	KKC 4010	40x100 Narrow Slotted Wiring Duct	Grey	14 x 2 m
551 016	KKC 6040	60x40 Narrow Slotted Wiring Duct	Grey	18 x 2 m
551 017	KKC 6060	60x60 Narrow Slotted Wiring Duct	Grey	12 x 2 m
551 018	KKC 6080	60x80 Narrow Slotted Wiring Duct	Grey	12 x 2 m
551 033	KKC 6010	60x100 Narrow Slotted Wiring Duct	Grey	18 x 2 m
551 034	KKC 8040	80x40 Narrow Slotted Wiring Duct	Grey	18 x 2 m
551 019	KKC 8060	80x60 Narrow Slotted Wiring Duct	Grey	14 x 2 m
551 020	KKC 8080	80x80 Narrow Slotted Wiring Duct	Grey	12 x 2 m
551 035	KKC 8010	80x100 Narrow Slotted Wiring Duct	Grey	12 x 2 m
551 021	KKC 1006	100x60 Narrow Slotted Wiring Duct	Grey	10 x 2 m
551 022	KKC 1008	100x80 Narrow Slotted Wiring Duct	Grey	8 x 2 m
551 036	KKC 1001	100x100 Narrow Slotted Wiring Duct	Grey	12 x 2 m
551 023	KKC 1206	120x60 Narrow Slotted Wiring Duct	Grey	8 x 2 m
551 024	KKC 1208	120x80 Narrow Slotted Wiring Duct	Grey	6 x 2 m
551 025	KKC 1201	120x100 Narrow Slotted Wiring Duct	Grey	10 x 2 m
551 040	KKC 1501	150x100 Narrow Slotted Wiring Duct	Grey	8 x 2 m

new

551 060	KKC 1518	15x18 Medium Slotted Wiring Ducts	Grey	126 x 2 m
551 070	KKC 1530	15x30 Medium Slotted Wiring Ducts	Grey	106 x 2 m
551 080	KKC 1540	15x40 Medium Slotted Wiring Ducts	Grey	80 x 2 m
551 090	KKC 1560	15x60 Medium Slotted Wiring Ducts	Grey	42 x 2 m

551 014WS	KKC 4060 - Wide	40x60 Wide Slotted Wiring Duct	Grey	16 x 2 m
551 015WS	KKC 4080 - Wide	40x80 Wide Slotted Wiring Duct	Grey	20 x 2 m
551 032WS	KKC 4010 - Wide	40x100 Wide Slotted Wiring Duct	Grey	14 x 2 m
551 017WS	KKC 6060 - Wide	60x60 Wide Slotted Wiring Duct	Grey	12 x 2 m
551 018WS	KKC 6080 - Wide	60x80 Wide Slotted Wiring Duct	Grey	12 x 2 m
551 033WS	KKC 6010 - Wide	60x100 Wide Slotted Wiring Duct	Grey	18 x 2 m
551 019WS	KKC 8060 - Wide	80x60 Wide Slotted Wiring Duct	Grey	14 x 2 m
551 020WS	KKC 8080 - Wide	80x80 Wide Slotted Wiring Duct	Grey	12 x 2 m
551 035WS	KKC 8010 - Wide	80x100 Wide Slotted Wiring Duct	Grey	12 x 2 m
551 021WS	KKC 1006 - Wide	100x60 Wide Slotted Wiring Duct	Grey	10 x 2 m
551 022WS	KKC 1008 - Wide	100x80 Wide Slotted Wiring Duct	Grey	8 x 2 m
551 036WS	KKC 1001 - Wide	100x100 Wide Slotted Wiring Duct	Grey	12 x 2 m
551 023WS	KKC 1206 - Wide	120x60 Wide Slotted Wiring Duct	Grey	8 x 2 m
551 024WS	KKC 1208 - Wide	120x80 Wide Slotted Wiring Duct	Grey	6 x 2 m
551 025WS	KKC 1201 - Wide	120x100 Wide Slotted Wiring Duct	Grey	10 x 2 m
551 040WS	KKC 1501 - Wide	150x100 Wide Slotted Wiring Duct	Grey	8 x 2 m

new

551 060 YP	KKC 1518	15x18 Narrow Slotted Self-Adhesive Wiring Duct	Grey	122 x 2 m
551 070 YP	KKC 1530	15x30 Narrow Slotted Self-Adhesive Wiring Duct	Grey	104 x 2 m
551 080 YP	KKC 1540	15x40 Narrow Slotted Self-Adhesive Wiring Duct	Grey	80 x 2 m
551 090 YP	KKC 1560	15x60 Narrow Slotted Self-Adhesive Wiring Duct	Grey	42 x 2 m

Wiring Duct Covers



Cat. No.	Product	Description	Color	Qty.
551 049	KKK 15	15 mm Wiring Duct Cover	Grey	10 x 2 m
551 050	KKK 25	25 mm Wiring Duct Covers	Grey	10 x 2 m
551 051	KKK 40	40 mm Wiring Duct Covers	Grey	10 x 2 m
551 052	KKK 60	60 mm Wiring Duct Covers	Grey	10 x 2 m
551 053	KKK 80	80 mm Wiring Duct Covers	Grey	10 x 2 m
551 054	KKK 100	100 mm Wiring Duct Covers	Grey	10 x 2 m
551 055	KKK 120	120 mm Wiring Duct Covers	Grey	10 x 2 m
551 056	KKK 150	150 mm Wiring Duct Covers	Grey	10 x 2 m


Wiring Duct Accessories



Cat. No.	Product	Dimensions WxH	Description	Color	Qty.
553 315	KKT 4040		Wire Retainer	Black	10
553 325	KKT 4060		Wire Retainer	Black	10
553 335	KKT 6080		Wire Retainer	Black	10
553 345	KKT 4080		Wire Retainer	Black	10
553 355	KKT 6040		Wire Retainer	Black	10
553 365	KKT 6060		Wire Retainer	Black	10
553 375	KKT 6010		Wire Retainer	Black	10
553 385	KKT 8060		Wire Retainer	Black	10
553 395	KKT 1006		Wire Retainer	Black	10
553 425	KKT 1206		Wire Retainer	Black	10
553 435	KKT 8080		Wire Retainer	Black	10
553 445	KKT 8010		Wire Retainer	Black	10
553 455	KKT 1008		Wire Retainer	Black	10
553 465	KKT 1001		Wire Retainer	Black	10
553 475	KKT 1208		Wire Retainer	Black	10
553 485	KKT 1201		Wire Retainer	Black	10
553 405	KKB		Cable Clamp	Black	10
553 415	KKM		Cable Holder	Black	10
553 500	SETR		Setting Tool for Rivets	-	1
553 600	PPE 6.5		Body - Bound Rivet	Grey	100

*= Drilling Ø on the panel surface should be 6,00 - 6,2 mm so rivets are firmly held on the surface
 * KKM is compatible with 40, 60, 80 and 100 mm wiring ducts.

Wiring Duct Cutting Tools



Cat. No.	Product	Description	Qty.
553 220	KMK 1002	Flat cutting up to 120 mm width wiring ducts	1
553 230	KKMR	Wiring Duct Cutter	1




KKMR

Technical Specifications




**Klemsan
Trunkie**


Wiring Ducts




Wire Retainer



Cable Clamp



Cable Holder




**Klemsan
Trunkie**


Cat. No.	Product	Description	Dimensions (mm)								
			A	B	C	D	E	F	G	H	I
551 060 YP	KKC 1518	Wiring Duct	15	18	4,5	5	7,5	2	4,5	-	25
551 070 YP	KKC 1530	Wiring Duct	15	30	6,1	5	7,5	2	4,5	-	25
551 080 YP	KKC 1540	Wiring Duct	15	40	10,2	5	7,5	2	4,5	-	25
551 090 YP	KKC 1560	Wiring Duct	15	60	12,4	5	7,5	2	4,5	-	25
551 060	KKC 1518	Wiring Duct	15	18	4,5	5	7,5	2	4,5	-	25
551 070	KKC 1530	Wiring Duct	15	30	6,1	5	7,5	2	4,5	-	25
551 080	KKC 1540	Wiring Duct	15	40	10,2	5	7,5	2	4,5	-	25
551 090	KKC 1560	Wiring Duct	15	60	12,4	5	7,5	2	4,5	-	25
551 010	KKC 2530	Wiring Duct	25	30	11,4	4	6	2,1	4,5	6,5	25
551 011	KKC 2540	Wiring Duct	25	40	12,4	4	6	2,1	4,5	6,5	25
551 012	KKC 2560	Wiring Duct	25	60	13,6	4	6	2,1	4,5	6,5	25
551 030	KKC 2580	Wiring Duct	25	80	15,8	4	6	2,1	4,5	6,5	25
551 031	KKC 2510	Wiring Duct	25	100	17,9	4	6	2,1	4,5	6,5	25
551 013	KKC 4040	Wiring Duct	40	40	12,4	4	6	2,1	4,5	6,5	25
551 014	KKC 4060	Wiring Duct	40	60	13,6	4	6	2,1	4,5	6,5	25
551 015	KKC 4080	Wiring Duct	40	80	15,8	4	6	2,1	4,5	6,5	25
551 032	KKC 4010	Wiring Duct	40	100	17,9	4	6	2,1	4,5	6,5	25
551 016	KKC 6040	Wiring Duct	60	40	12,6	4	6	2,1	4,5	6,5	25
551 017	KKC 6060	Wiring Duct	60	60	13,8	4	6	2,1	4,5	6,5	25
551 018	KKC 6080	Wiring Duct	60	80	15,8	4	6	2,1	4,5	6,5	25
551 033	KKC 6010	Wiring Duct	60	100	18,0	4	6	2,1	4,5	6,5	25
551 034	KKC 8040	Wiring Duct	80	40	12,6	4	6	2,1	4,5	6,5	25
551 019	KKC 8060	Wiring Duct	80	60	13,8	4	6	2,1	4,5	6,5	25
551 020	KKC 8080	Wiring Duct	80	80	15,8	4	6	2,1	4,5	6,5	25
551 035	KKC 8010	Wiring Duct	80	100	18,2	4	6	2,1	4,5	6,5	25
551 021	KKC 1006	Wiring Duct	100	60	16,0	4	6	2,1	4,5	6,5	25
551 022	KKC 1008	Wiring Duct	100	80	16,0	4	6	2,1	4,5	6,5	25
551 036	KKC 1001	Wiring Duct	100	100	18,2	4	6	2,1	4,5	6,5	25
551 023	KKC 1206	Wiring Duct	120	60	16,3	4	6	2,1	4,5	6,5	25
551 024	KKC 1208	Wiring Duct	120	80	16,3	4	6	2,1	4,5	6,5	25
551 025	KKC 1201	Wiring Duct	120	100	18,4	4	6	2,1	4,5	6,5	25
551 040	KKC 1501	Wiring Duct	150	100	18,5	4	6	2,1	4,5	6,5	25

* KKM is compatible with 40, 60, 80 and 100 mm wiring ducts.


Wiring Ducts




Wire Retainer



Cable Clamp



Cable Holder



Cat. No.	Product	Description	Dimensions (mm)									
			A	B	C	D	E	F	G	H	I	
551 014 WS	KKC 4060	Wiring Duct	40	60	13,6	8	12	2,1	4,5	6,5	25	
551 015 WS	KKC 4080	Wiring Duct	40	80	15,8	8	12	2,1	4,5	6,5	25	
551 032 WS	KKC 4010	Wiring Duct	40	100	17,9	8	12	2,1	4,5	6,5	25	
551 017 WS	KKC 6060	Wiring Duct	60	60	13,8	8	12	2,1	4,5	6,5	25	
551 018 WS	KKC 6080	Wiring Duct	60	80	15,8	8	12	2,1	4,5	6,5	25	
551 033 WS	KKC 6010	Wiring Duct	60	100	8,0	8	12	2,1	4,5	6,5	25	
551 019 WS	KKC 8060	Wiring Duct	80	60	13,8	8	12	2,1	4,5	6,5	25	
551 020 WS	KKC 8080	Wiring Duct	80	80	15,8	8	12	2,1	4,5	6,5	25	
551 035 WS	KKC 8010	Wiring Duct	80	100	18,2	8	12	2,1	4,5	6,5	25	
551 021 WS	KKC 1006	Wiring Duct	100	60	16,0	8	12	2,1	4,5	6,5	25	
551 022 WS	KKC 1008	Wiring Duct	100	80	16,0	8	12	2,1	4,5	6,5	25	
551 036 WS	KKC 1001	Wiring Duct	100	100	18,2	8	12	2,1	4,5	6,5	25	
551 023 WS	KKC 1206	Wiring Duct	120	60	16,3	8	12	2,1	4,5	6,5	25	
551 024 WS	KKC 1208	Wiring Duct	120	80	16,3	8	12	2,1	4,5	6,5	25	
551 025 WS	KKC 1201	Wiring Duct	120	100	18,4	8	12	2,1	4,5	6,5	25	
551 040 WS	KKC 1501	Wiring Duct	150	100	18,5	8	12	2,1	4,5	6,5	25	
553 315	KKT 4040	Wire Retainer	34	35								
553 325	KKT 4060	Wire Retainer	34	53								
553 335	KKT 6080	Wire Retainer	53	75								
553 345	KKT 4080	Wire Retainer	34	75								
553 355	KKT 6040	Wire Retainer	53	35								
553 365	KKT 6060	Wire Retainer	53	53								
553 375	KKT 6010	Wire Retainer	53	95								
553 385	KKT 8060	Wire Retainer	73	53								
553 395	KKT 1006	Wire Retainer	93	53								
553 425	KKT 1206	Wire Retainer	113	53								
553 435	KKT 8080	Wire Retainer	73	75								
553 445	KKT 8010	Wire Retainer	73	95								
553 455	KKT 1008	Wire Retainer	93	75								
553 465	KKT 1001	Wire Retainer	93	95								
553 475	KKT 1208	Wire Retainer	113	75								
553 485	KKT 1201	Wire Retainer	113	95								
553 405	KKB	Cable Clamp	15	11	6,0							
553 415	KKM	Cable Holder	83,6	14	15,0	20	19,8					